

Freeform Search

| | |
|--|--|
| <input type="checkbox"/> US Pre-Grant Publication Full-Text Database <input type="checkbox"/> US Patents Full-Text Database <input type="checkbox"/> US OCR Full-Text Database Database: <input type="checkbox"/> EPO Abstracts Database <input type="checkbox"/> JPO Abstracts Database <input type="checkbox"/> Derwent World Patents Index <input type="checkbox"/> IBM Technical Disclosure Bulletins | |
| Term: <input type="text" value="plastically deform\$5 probe"/> | |
| Display: <input type="text" value="10"/> Documents in <u>Display Format:</u> <input type="text"/> Starting with Number <input type="text" value="1"/> | |
| Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image | |
| <input type="button" value="Search"/> <input type="button" value="Clear"/> <input type="button" value="Interrupt"/> | |

Search History

DATE: Wednesday, February 16, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> | <u>Name</u> | <u>Query</u> | <u>Hit</u> | <u>Set</u> |
|--------------|-------------|---|--------------|-------------|
| | | | <u>Count</u> | <u>Name</u> |
| side by side | | | | result set |
| | | DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| <u>L15</u> | | plastically deform\$5 probe | 5 | <u>L15</u> |
| <u>L14</u> | | plastically deform\$5 thermometer | 0 | <u>L14</u> |
| <u>L13</u> | | (plastically deform\$5) same (handle or holder or probe or thermometer) | 734 | <u>L13</u> |
| <u>L12</u> | | plastically deformable | 6506 | <u>L12</u> |
| <u>L11</u> | | shapable body or shapable handle or shapable holder or shapable probe or shapable thermometer | 26 | <u>L11</u> |
| <u>L10</u> | | shapable | 1565 | <u>L10</u> |
| | | DB=USPT; PLUR=YES; OP=ADJ | | |
| <u>L9</u> | | 3946613.pn. | 1 | <u>L9</u> |
| | | DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| <u>L8</u> | | bendable probe or bendable thermometer | 22 | <u>L8</u> |
| <u>L7</u> | | bendable holder or bendable handle | 95 | <u>L7</u> |
| <u>L6</u> | | deformable handle or deformable holder | 194 | <u>L6</u> |
| <u>L5</u> | | re shapeable | 18 | <u>L5</u> |
| <u>L4</u> | | shapeable holder or shapeable probe | 3 | <u>L4</u> |

| | | | |
|-----------|--|------|-----------|
| <u>L3</u> | L2 and (bend\$4 or flex\$4 or deform\$6) | 446 | <u>L3</u> |
| <u>L2</u> | L1 and (thermometer or probe or sensor) | 1383 | <u>L2</u> |
| <u>L1</u> | 374/208 | 1884 | <u>L1</u> |

END OF SEARCH HISTORY

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term: L1 and "clinical thermometer"

Display: 10 Documents in Display Format: Starting with Number 1

Generate: Hit List Hit Count Side by Side Image

Search History

DATE: Wednesday, February 16, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|---|-------------------------------|------------------|-----------------|
| result set | | | |
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | | |
| <u>L7</u> | L1 and "clinical thermometer" | 855 | <u>L7</u> |
| DB=USPT; PLUR=YES; OP=ADJ | | | |
| <u>L6</u> | L5 and "cylindrical" | 105 | <u>L6</u> |
| <u>L5</u> | 374/163 | 663 | <u>L5</u> |
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | | |
| <u>L4</u> | L2 and (pivot\$3) | 760 | <u>L4</u> |
| <u>L3</u> | L2 and "cylindrical" | 2048 | <u>L3</u> |
| <u>L2</u> | L1 and (thermometer or probe) | 9686 | <u>L2</u> |
| <u>L1</u> | 374/\$ | 32090 | <u>L1</u> |

END OF SEARCH HISTORY